



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Prunus Virginiana, L., is very rare near Closter, the only locality known to me is about three quarters of a mile N. W. of the station; *P. Americana*, Marshall, is found at Closter.

Gillenia trifoliata, Mönch, I have never seen in N. J. this side of the Musconetcong Mts.

Geum Virginianum, L., is not rare in bogs near Closter; *G. strictum*, Ait., is quite common near Parcipany.

Spiræa opulifolia, L., and

Potentilla arguta, Pursh, Rocks, High Torre, Haverstraw; *P. palustris*, Scop.; Budd's Lake, Morris Co., N. J., [both extra limital, *Eds.*]

Fragaria Virginiana, Ehrhart, is common about Closter.

Rubus strigosus, Mchx., is common in Orange and Sussex Co's, but I never saw it this side of, nor even on, the Musconetcong Mts. I have searched for it about Sufferns, Haverstraw, Ramapo, Mendham, Boonton, Budd's Lake, Stanhope, Hacketstown, Chester, Morristown, Closter, etc., but never found it near these places.—*R. neglectus*, Peck, a hybrid, I have no doubt, between *R. strigosus* and *R. occidentalis*, occurs in Orange Co., but seldom more than one bush in a place; it will hardly average a bush to a hundred acres of land. A *Var.*? of *R. occidentalis* with whitish or cream colored fruit appears to have escaped from cultivation at Franklin, Essex Co., N. J., (near Caldwell.) It is thoroughly established in pastures and thickets. I have heard from several persons that a white-berried *Rubus* grows near Sufferns, N. Y.

C. F. AUSTIN.

67. Mr. Congdon of Rhode Island used to find at East New York, *Ascyrum Crux Andræi*, L., and at Irvington *Polanisia graveolens*, Raf. *Scirpus Olneyi*, Gray, grows abundantly at junction of Erie & N. R. R. of New Jersey. There is a large clump of *Melilotus officinalis*, Willd., at Communipaw on the N. J. Central R. R., where also *Cannabis sativa*, L., is very abundant.

T. F. A.

68. *Prunus Pennsylvanica*, L., grows on Weehawken heights. It is also in the Central Park, west side, not far from the 100th St. entrance. *Potentilla fruticosa*, L., also grows finely, and, I think, multiplies there; and *Hypericum Kalmianum*, L., near the Seventh Ave. entrance, and elsewhere, is from ten to twenty times as large as the wild plants about the Niagara River. I found *Potentilla arguta*, Pursh, high on the rocks, east of Tarrytown, (Paine's Cat. p. 25,) and, since then, near Wilton, Conn. [In the N. W. part of Connecticut, it is a pernicious weed, overrunning the fields, and is known as Hardhack. *Eds.*]

I. H. H.

69. Native Plants in Central Park.—In 1857 Messrs. Rawolle and Pilat published a list of plants gathered in August and September in the Central Park. Most of these were native or naturalized, among them the following, which we have not heretofore credited to the Island. *Prunus maritima*, Wang., scarce; *Spiræa tomentosa*, L., very rare; *Agrimonia parviflora*, Ait., rather common; *Rubus hispidus*, L.; *Rubus cuneifolius*, Pursh; *Rosa lucida*, Ehrhart; *Cratægus tomentosa*, L., Var. *pyrifolia*.